

Veterans Holdings

111 Bellen Rd, Ste2, Broadalbin, NY, 12025

sonja@veteranshempmarket.com

518-246-0755

License #: OCM-AUCP-22-000012

Certificate of Analysis

Final



Date Released: 2/20/2024 12:29:24PM

Report #: 11224

Kief

Sample #: 3818, Weight: 6.50g, Unit Count:

Order #: X240212-0001

Category/Type: Plant, Flower - Cured

Date Collected: 2/12/2024 6:05:12PM


Date Received: 2/12/2024 6:20:26PM

Regulator Sample ID: VH-SNKF-001

Regulator Source Package ID: VH-SNKF-001

Regulator Batch ID: VH-SNKF-001

Size: 3000Units, Unit Count:



Potency Analysis by HPLC

Total Cannabinoids: **52.67 % - 526.7 mg/g**

Total THC: **46.00 % - 460.0 mg/g**

Total CBD: **0.06577 % - 0.6577 mg/g**

Date Completed: 02/14/2024 9:25AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	49.87	498.7	
d9-THC	1972-08-3	0.001000	2.260	22.60	
CBGa	25555-57-1	0.001000	0.3992	3.992	
CBDa	1244-58-2	0.001000	0.07499	0.7499	
CBN	521-35-7	0.001000	0.06485	0.6485	
d8-THC	5957-75-5	0.001000	ND	ND	
d10-THC	95543-62-7	0.001000	ND	ND	
THCV	31262-37-0	0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
CBDV	24274-48-4	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	
CBG	25654-31-3	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 3818 Kief

Terpenes by HS-GC-MS Date Completed: 02/15/2024 1:56PM

Pinene

Caryophyllene

Compound	CAS#	LOQ (%)	%	Relative Concentration
Alpha-pinene	80-56-8	0.1000	0.1513	<div></div>
Beta-caryophyllene	87-44-5	0.1000	0.1464	<div></div>
Beta-myrcene	123-35-3	0.1000	ND	
Limonene	5989-27-5	0.1000	ND	
Alpha-humulene	6753-98-6	0.1000	ND	
Linalool	78-70-6	0.1000	ND	
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Borneol	464-45-9	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaial	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Farnesene	502-61-4	0.1000	ND	
Camphor	464-49-3	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Sample #: 3818

Kief

Compound	CAS#	LOQ (%)	%	Relative Concentration
3-Carene	13466-78-9	0.1000	ND	
Alpha-cedrene	469-61-4	0.1000	ND	
Cedrol	77-53-2	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
Gamma-terpinene	99-85-4	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Isopulegol	89-79-2	0.1000	ND	
Menthol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
Nerolidol		0.1000	ND	
Pulegone	89-82-7	0.1000	ND	
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 02/14/2024 2:34 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Exreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture LWG

Pass

Analysis Date: 02/14/2024 2:34 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	6.9	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 3818 Kief

Water Activity		Pass		Analysis Date: 02/14/2024 2:34 pm	
Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
Water Activity	0.05	0.65	0.32	Pass	
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					


Pesticides by LCMSMS		Pass		Analysis Date: 02/19/2024 2:13 pm	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007


Dr. Kelly Greenland, Lab Director





Sample #: 3818

Kief

Pesticides by LCMSMS

Pass

Analysis Date: 02/19/2024 2:13 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 3818 Kief

Pesticides by LCMSMS		Pass		Analysis Date: 02/19/2024 2:13 pm	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
MGK-264	0.0100	0.200	ND	Pass	
Myclobutanil	0.0100	0.200	ND	Pass	
Naled	0.0100	0.500	ND	Pass	
Oxamyl	0.0100	1.00	ND	Pass	
Paclobutrazol	0.0100	0.400	ND	Pass	
Pentachloronitrobenzene	0.0100	1.00	ND	Pass	
Permethrins, Total	0.0100	0.200	ND	Pass	
Phosmet	0.0100	0.200	ND	Pass	
Piperonyl Butoxide	0.0100	2.00	ND	Pass	
Prallethrin	0.0100	0.200	ND	Pass	
Propiconazole	0.0100	0.400	ND	Pass	
Propoxur	0.0100	0.200	ND	Pass	
Pyrethrins Total	0.0100	1.00	ND	Pass	
Pyridaben	0.0100	0.200	ND	Pass	
Spinetoram Total	0.0100	1.00	ND	Pass	
Spinosad Total	0.0100	0.200	ND	Pass	
Spiromesifen	0.0100	0.200	ND	Pass	
Spirotetramat	0.0100	0.200	ND	Pass	
Spiroxamine	0.0100	0.200	ND	Pass	
Tebuconazole	0.0100	0.400	ND	Pass	
Thiacloprid	0.0100	0.200	ND	Pass	
Thiamethoxam	0.0100	0.200	ND	Pass	
Trifloxystrobin	0.0100	0.200	ND	Pass	

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Sample #: 3818

Kief

Residual Solvents by HS-GC-MS		Pass		Analysis Date: 02/19/2024 12:42 pm	
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status	
1,2-Dichloroethane	0.0500	5.00	ND	Pass	
Acetone	50.00	5000	ND	Pass	
Acetonitrile	50.00	410	ND	Pass	
Benzene	0.5000	2.00	ND	Pass	
Butanes Total	25.00	5000	1446	Pass	
Chloroform	0.5000	60.0	ND	Pass	
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass	
Ethanol	50.00	5000	ND	Pass	
Ethyl acetate	50.00	5000	ND	Pass	
Ethyl ether	50.00	5000	ND	Pass	
Heptane	50.00	5000	ND	Pass	
Hexanes Total	10.00	290	ND	Pass	
Isopropanol	50.00	5000	ND	Pass	
Methanol	50.00	3000	ND	Pass	
Methylene chloride	50.00	600	ND	Pass	
Pentanes Total	16.70	5000	ND	Pass	
Propane	50.00	5000	ND	Pass	
Toluene	50.00	890	ND	Pass	
Total xylenes	25.00	2170	ND	Pass	
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass	

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.

Mycotoxins by LCMSMS		Pass		Analysis Date: 02/19/2024 2:13 pm	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Aflatoxin B1	0.0050	0.020	ND	Pass	
Aflatoxin B2	0.0050	0.020	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly N. Greenland
Dr. Kelly Greenland, Lab Director





Sample #: 3818 Kief

Mycotoxins by LCMSMS		Pass		Analysis Date: 02/19/2024 2:13 pm	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Aflatoxin G1	0.0050	0.020	ND	Pass	
Aflatoxin G2	0.0050	0.020	ND	Pass	
Ochratoxin A	0.0050	0.020	ND	Pass	
Total Aflatoxin	0.0050	0.020	ND	Pass	
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.					


Heavy Metals by ICPMS		Pass		Analysis Date: 02/14/2024 1:07 pm	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Antimony	0.0100	2.00	ND	Pass	
Arsenic	0.00100	0.200	0.0419	Pass	
Cadmium	0.00150	0.300	0.0349	Pass	
Chromium	0.280	110	ND	Pass	
Copper	0.0750	30.0	6.31	Pass	
Lead	0.00250	0.500	0.0929	Pass	
Mercury	0.000500	0.100	ND	Pass	
Nickel	0.0100	5.00	1.58	Pass	
Comment:	Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.				

Micro by Petri & qPCR		Pass		Analysis Date: 02/15/2024 3:34 pm	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
Aspergillus flavus Qualitative	1	0	Not Detected	Pass	
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass	
Aspergillus niger Qualitative	1	0	Not Detected	Pass	
Aspergillus terreus Qualitative	1	0	Not Detected	Pass	
Salmonella Qualitative	1	0	Not Detected	Pass	
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007


Dr. Kelly Greenland, Lab Director





Sample #: 3818 Kief


Micro by Petri & qPCR		Pass		Analysis Date: 02/15/2024 3:34 pm	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
Total Aerobic Bacteria	10		780000	Pass	
Total Yeast & Mold	10		600000	Pass	
Comment:	Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".				

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007


Dr. Kelly Greenland, Lab Director

